

PATENT AND LEGAL OPERATION
1 RESEARCH CIRCLE, BLDG. K1-3A71
NIKSAYUNA, NY 12309
TELEPHONE: (518) 387-6131, FAX: (518) 387-7751
DIAL COMM: 8*833-6131, EMAIL: dlconza@crd.ge.com

GE GLOBAL RESEARCH

RECEIVED
CENTRAL FACSIMILE
MAR 15 2005

Fax**CONFIDENTIALITY NOTE:**

This document is intended only for the use of the person to whom it is addressed; the document may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, please immediately notify us by telephone, and return the original message to us at the above address without any dissemination, distribution or copying of this communication. Thank you.

To:	Central Facsimile Fax	From:	Paul DiConza
	Examiner Alexander Markoff	Docket No.	RD-28,351-1
Fax:	703 872-9306	Pages including this sheet:	12
Phone:	571 272-1304	Date:	March 15, 2005
Re:	Response to Office Action for Application 10/063,987		

Examiner Markoff:

Please find attached a Response to Office Action Application 10/063,987. If you have any questions, please call me on 518 387-6131.

Thank you,

Paul J. DiConza

Serial No. 10/063,987

Docket No. RD28351-1

RECEIVED
CENTRAL FILE UNIT

MAR 15 2005

I hereby certify that this paper is being
Facsimile transmitted to the Patent and
Trademark Office on the date shown below.

3/15/05
(Date of Transmission)

Marion G. Gentry
Signature

3/15/05
(Date of Signature)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: C.U. Hardwicke et al.
Serial No.: 10/063,987
Filed: May 31, 2002

: Group Art Unit: 1746
: Examiner: (Original) A. Markoff
: Response to Paper No. 121304

**For: APPARATUS AND METHOD FOR CLEANING
INTERNAL CHANNELS OF AN ARTICLE**

RESPONSE TO OFFICE ACTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated 15 December 2004, Applicants respectfully request that the application referenced above be amended as follows.